

Eluxan

Eluxadoline INN 75 mg

Composition:

Eluxan: Each film coated tablet contains Eluxadoline INN 75 mg.

Pharmacology:

Eluxan (Eluxadoline) is a mu-opioid receptor agonist, kappa opioid receptor agonist & delta opioid receptor antagonist. **Eluxan** (Eluxadoline) works directly in the intestine to reduce peristalsis, also makes the nerves in intestine less sensitive to stimulation.

Indications:

Eluxan (Eluxadoline) is indicated in adults for the treatment of irritable bowel syndrome with diarrhea (IBS-D).

Dosage & administration:

- The recommended dose is 75 mg tablet taken orally twice daily with food.
- Patients who develop severe constipation for more than 4 days have to discontinue the drug.
- If a dose is missed, patient should take the next dose at the regular time and avoid taking two doses at a time.

Warning & Precaution:

- Sphincter of Oddi spasm and Pancreatitis.
- Patients who should be monitored closely-
 - without a gallbladder
 - with new or worsening abdominal pain
 - with nausea and vomiting
 - with acute biliary pain
 - with liver or pancreatic enzyme elevation

Contraindication:

Known or suspected biliary duct obstruction, sphincter of oddi disease or dysfunction & pancreatitis.

Adverse reaction:

Most common adverse reactions are constipation, nausea and abdominal pain.

Use in Specific Population:

Pregnancy Category: Not established.

Lactation: Not established.

Pediatric Use: Safety and effectiveness in pediatric patients have not been established.

Hepatic Impairment: It is contraindicated in patients with severe hepatic impairment.

Drug Interaction: Oral Contraceptive, Cyclosporine, Probenecid, Rosuvastatin.

Storage:

Store below 30°C. Protect from light and moisture. Keep out of reach of children.

Packaging:

Eluxan: Each box contains 1x10's tablets in blister strip.

Manufactured by

ZISKA Ziska Pharmaceuticals Ltd.
PHARMA Kaliakoir, Gazipur, Bangladesh